

2018 Corn Grain Top 30 Harvest Report

North Central Tri-State [NCTS] MILES
John Wilsons, Clinton County, IA 52064



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Roundup, Roundup
SOIL DESCRIPTION: Walford-Orion silt loam, mod. well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, very high P, very high K, 7 pH, 2.2% OM, 13.2 CEC
PEST MANAGEMENT: SureStart, Roundup, Force
FERTILITY - Applied N: 18 Fall, 150 Spring
Applied N-P-K (units): 168-46-60
SEEDING - RATE - ROW: Apr 30 37,500 /A 30" spacing
HARVESTED - STAND: Oct 18 35,800 /A

Early-Season Test
101 - 106 Day CRM
B2018NCTS08a

Top 30 of 63

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|--------------------|--------------|------------|---------------|---------------|--------------|-------------------|-------------------------|-----------|
| Cornelius | C461SS | STX | 106 | 278.2 | 16.5 | 1 | 35.7 | 1,031 | 1 |
| Golden Harvest | G05K08-3010A | 3010,A | 105 | 277.8 | 17.5 | 1 | 37.5 | 1,021 | 2 |
| Dekalb | DKC55-53RIB GC | STX,B | 105 | 272.4 | 16.1 | 1 | 36.6 | 1,013 | 3 |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | 106 | 270.2 | 17.7 | 1 | 37.5 | 991 | 6 |
| Wyffels | W2506 | VT2P | 101 | 269.7 | 16.2 | 1 | 37.5 | 1,002 | 4 |
| Stone | 5638RIB | STX,B | 106 | 269.4 | 17.3 | 1 | 36.6 | 992 | 5 |
| Latham | LH5635VT2ProRIB | VT2P,B | 106 | 265.9 | 16.4 | 1 | 36.6 | 986 | 7 |
| Latham | LH5487VT2Pro | VT2P | 104 | 265.9 | 16.5 | 1 | 37.5 | 985 | 8 |
| NuTech/G2 Gen | 5F-702 | AM,B | 102 | 265.7 | 16.6 | 1 | 36.6 | 984 | 9 |
| Latham | LH5505VT2ProRIB | VT2P,B | 105 | 265.5 | 17.0 | 1 | 34.8 | 980 | 13 |
| Wyffels | W4196RIB | VT2P,B | 105 | 265.2 | 16.8 | 1 | 35.7 | 980 | 14 |
| Renk | RK717SSTX | STX,B | 105 | 264.9 | 16.3 | 1 | 36.6 | 983 | 10 |
| FS InVISION | FS 53ZX1 RIB | STX,B | 103 | 264.7 | 16.4 | 1 | 35.7 | 982 | 11 |
| Renk | RK737VT2P | VT2P | 106 | 264.6 | 16.9 | 1 | 36.6 | 977 | 15 |
| Titan Pro | 82-04 2P | VT2P,B | 104 | 264.0 | 16.9 | 1 | 37.5 | 975 | 20 |
| Wyffels | W3488 | STX | 104 | 263.9 | 15.9 | 1 | 33.1 | 982 | 12 |
| NuTech/G2 Gen | 5F-601 | AM,AQ,B | 101 | 263.4 | 16.5 | 1 | 35.7 | 976 | 17 |
| Hefty | H5302VT2PRIB | VT2P,B | 103 | 263.4 | 16.5 | 1 | 36.6 | 976 | 18 |
| Pioneer | P0589AMXT GC | AMXT,AQ,B | 105 | 263.1 | 16.9 | 1 | 35.7 | 972 | 21 |
| NuTech/G2 Gen | 5F-503 | AM,B | 103 | 263.0 | 17.0 | 1 | 34.8 | 970 | 22 |
| Burrus | Power Plus 2B77^ | AMXT,B | 105 | 262.6 | 17.2 | 1 | 36.6 | 967 | 23 |
| Burrus | Power Plus 2Y06^ | AM,B | 104 | 262.6 | 17.4 | 1 | 35.7 | 966 | 24 |
| Stone | 5448RIB | STX,B | 104 | 262.5 | 16.1 | 1 | 35.7 | 976 | 19 |
| Dairyland | DS-7106PE | PC,E | 106 | 261.3 | 18.2 | 1 | 37.5 | 955 | 30 |
| NK Brand | NK0624-3220-EZR GC | 3220,B | 106 | 260.7 | 17.4 | 1 | 38.4 | 959 | 26 |
| Dyna-Gro | D47SS29RIB | STX,B | 106 | 260.6 | 16.7 | 1 | 34.0 | 964 | 25 |
| Jung | 56SS538 | STX,B | 106 | 259.7 | 17.6 | 1 | 34.0 | 954 | 31 |
| Cornelius | C478DP | VT2P | 106 | 259.4 | 16.8 | 1 | 34.0 | 959 | 27 |
| LG Seeds | LG5525VT2RIB | VT2P,B | 105 | 259.3 | 17.1 | 1 | 35.7 | 956 | 29 |
| Titan Pro | TP 77-06 SS | STX,B | 106 | 258.3 | 16.5 | 1 | 34.0 | 957 | 28 |
| Pioneer | P0707AMXT CK | AMXT,B | 107 | 266.9 | 18.1 | 6 | 34.0 | 976 | 16 |

Jason Beyers
beyers@frontiernet.net, (815) 985-7369

Averages = **254.9** **16.8** **1** **35.8** **942**

LSD (0.10) = 13.2 0.4 1

LSD (0.25) = 6.9 0.2 1

C.V. = 4.9 Prev. years average yield, 222.6 bu/a, 18 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.75; non-GMO = \$3.75

Test Comments: *As usual this was a nice uniform location. Emergence was good and corn was all nice and even at V5-V6 stage. Mother nature gave this area plenty of moisture all season long, at times, maybe a bit too much. Plants stood well at harvest, and there was not much disease noted. Some ears showed signs that something stressed them at pollination, because some kernel rows were pinched a little.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/19/2018 Revised:

2018 Corn Grain Top 30 Harvest Report

North Central Tri-State [NCTS] MILES
John Wilsons, Clinton County, IA 52064



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Roundup, Roundup
SOIL DESCRIPTION: Walford-Orion silt loam, mod. well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, very high P, very high K, 7 pH, 2.2% OM, 13.2 CEC
PEST MANAGEMENT: SureStart, Roundup, Force
FERTILITY - Applied N: 18 Fall, 150 Spring
Applied N-P-K (units): 168-46-60
SEEDING - RATE - ROW: Apr 30 37,500 /A 30" spacing
HARVESTED - STAND: Oct 18 35,500 /A

Full-Season Test
107 - 110 Day CRM
B2018NCTS08b

Top 30 of 54

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-------------------|--------------|------------|---------------|---------------|--------------|-------------------|-------------------------|-----------|
| NuTech/G2 Gen | 5FN-8808 | OI | 108 | 300.2 | 18.0 | 2 | 35.7 | 1,099 | 1 |
| NuTech/G2 Gen | 5FB-9909 | AM,B | 109 | 292.2 | 18.0 | 1 | 34.8 | 1,069 | 2 |
| Burrus | Power Plus 4A67^ | AMXT,B | 109 | 284.2 | 18.6 | 2 | 33.1 | 1,035 | 5 |
| Jung | 58SS529 | STX,B | 108 | 282.6 | 17.5 | 1 | 37.5 | 1,039 | 3 |
| Cornelius | C573DP | VT2P | 108 | 282.5 | 17.4 | 1 | 35.7 | 1,039 | 4 |
| NuTech/G2 Gen | 5F-308 | AM,B | 108 | 282.1 | 18.5 | 1 | 35.7 | 1,028 | 7 |
| Burrus | Power Plus 4Y34^ | OI | 108 | 281.7 | 17.9 | 2 | 35.7 | 1,032 | 6 |
| Wyffels | W6896RIB | VT2P,B | 110 | 281.0 | 18.4 | 2 | 35.7 | 1,025 | 8 |
| Wyffels | W6408 | STX | 110 | 280.2 | 18.7 | 1 | 36.6 | 1,020 | 10 |
| Latham | LH5965VT2ProRIB | VT2P,B | 109 | 279.9 | 18.7 | 3 | 35.7 | 1,019 | 11 |
| REV | 1817AM | AM,B | 109 | 279.7 | 18.3 | 1 | 36.6 | 1,021 | 9 |
| Cornelius | C577SS | STX | 109 | 278.3 | 18.0 | 1 | 33.1 | 1,019 | 12 |
| Dyna-Gro | D49SS70 | STX | 109 | 277.9 | 18.4 | 1 | 36.6 | 1,014 | 14 |
| LG Seeds | LG58C77VT2PRO | VT2P | 108 | 276.9 | 17.8 | 1 | 34.8 | 1,015 | 13 |
| REV | 2067AM | AM,B | 110 | 276.9 | 18.5 | 1 | 36.6 | 1,009 | 16 |
| Titan Pro | 82-09 2P | VT2P,B | 109 | 276.9 | 18.9 | 1 | 34.8 | 1,006 | 18 |
| Stone | 5858RIB | STX,B | 108 | 276.1 | 17.6 | 1 | 32.2 | 1,014 | 15 |
| Hefty | H5812VT2PRIB | VT2P,B | 108 | 275.3 | 18.0 | 1 | 35.7 | 1,008 | 17 |
| Hefty | H6024SS | STX,B | 110 | 273.9 | 18.2 | 1 | 34.8 | 1,001 | 19 |
| Renk | RK763VT2P | VT2P,B | 108 | 272.6 | 17.7 | 1 | 34.8 | 1,000 | 20 |
| Dairyland | DS-6008 | RR2 | 108 | 270.9 | 18.2 | 1 | 34.0 | 990 | 22 |
| Pfister | 2545RASS | STX,B | 107 | 270.9 | 19.2 | 1 | 36.6 | 982 | 24 |
| Latham | EX5917VT2Pro | VT2P | 109 | 270.3 | 17.3 | 1 | 36.6 | 995 | 21 |
| NuTech/G2 Gen | 5FB-1010 | AM,B | 110 | 268.8 | 18.8 | 14 | 36.6 | 977 | 29 |
| FS InVISION | FS 60LX1 RIB | STX,B | 110 | 268.6 | 18.3 | 1 | 36.6 | 981 | 25 |
| Wyffels | W5518 | STX | 109 | 268.5 | 18.6 | 1 | 37.5 | 978 | 27 |
| Golden Harvest | G08M20-3010 | 3010 | 108 | 267.7 | 18.3 | 1 | 34.8 | 977 | 30 |
| FS InVISION | FS 59VL1 EZR | 3220,B | 109 | 267.4 | 18.1 | 9 | 34.8 | 978 | 28 |
| Latham | LH5725VT2Pro | VT2P | 107 | 266.8 | 17.5 | 1 | 36.6 | 980 | 26 |
| Jung | 58SS537RIB | STX,B | 108 | 265.7 | 18.0 | 1 | 34.8 | 972 | 31 |
| Pioneer | P0707AMXT CK | AMXT,B | 107 | 270.7 | 18.1 | 2 | 35.7 | 990 | 23 |

Averages = **268.7** **18.3** **2** **35.5** **981**

LSD (0.10) = 13.2 0.5 3

LSD (0.25) = 6.9 0.2 2

C.V. = 4.7

Prev. years average yield, 222.6 bu/a, 18 yrs

Jason Beyers

beyers@frontiernet.net, (815) 985-7369

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.75; non-GMO = \$3.75

Test Comments: *As usual this was a nice uniform location. Emergence was good and corn was all nice and even at V5-V6 stage. Mother nature gave this area plenty of moisture all season long, at times, maybe a bit too much. Plants stood well at harvest, and there was not much disease noted. Some ears showed signs that something stressed them at pollination, because some kernel rows were pinched a little.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/19/2018 Revised:

2018 Corn Grain - North Central Tri-State [NCTS]



Early-Season Test Products (63 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|--------------------|-----------|-------------|-----|---------------|---------------|-----------|-------------|-----|
| Burrus | Power Plus 2B77^ | AMXT,B | CM,C2,R,Lu | 105 | Pfister | 63A3SSR | STX,B | CM,C5,Vi,In | 103 |
| Burrus | Power Plus 2Y06^ | AM,B | CM,C2,R,Lu | 104 | Pfister | 64F1PE | PC,E | CM,C5,Vi,In | 104 |
| Cornelius | C385DP | VT2P | CM,C2 | 103 | Pfister | 65G1SE | STX,E | CM,C5,Vi,In | 105 |
| Cornelius | C461SS | STX | AC,P5V | 106 | Pioneer | P0157AMXT | AMXT,AQ,B | MQ,P1V,R | 101 |
| Cornelius | C478DP | VT2P | AC,P5V | 106 | Pioneer | P0589AMXT GC | AMXT,AQ,B | MQ,P1V,R | 105 |
| Dairyland | DS-7101 | PC | CM,C5,Vi,In | 101 | Pioneer | P0707AMXT CK | AMXT,B | MQ,P1V,R | 107 |
| Dairyland | DS-7106PE | PC,E | CM,C5,Vi,In | 106 | Renk | RK604SSSTX | STX | AC,P5V | 102 |
| Dairyland | DS-7603PE | PC,E | CM,C5,Vi,In | 103 | Renk | RK642SSSTX | STX,B | AC,P5V | 103 |
| Dairyland | DS-9804RA | STX,B | CM,C5,Vi,In | 103 | Renk | RK717SSSTX | STX,B | AC,P5V | 105 |
| Dekalb | DKC55-53RIB GC | STX,B | AC,P5V | 105 | Renk | RK737VT2P | VT2P | AC,P5V | 106 |
| Dekalb | DKC56-45RIB GC | STX,B | AC,P5V | 106 | Stone | 5448RIB | STX,B | AC,P5V | 104 |
| Dyna-Gro | D43SS81 | STX | AC,P5V | 103 | Stone | 5638RIB | STX,B | AC,P5V | 106 |
| Dyna-Gro | D47SS29RIB | STX,B | AC,P5V | 106 | Titan Pro | 82-04 2P | VT2P,B | AC,P2 | 104 |
| FS InVISION | FS 51QX1 RIB | STX,B | AC,P5V | 101 | Titan Pro | TP 77-06 SS | STX,B | AC,P5V | 106 |
| FS InVISION | FS 52RL0 EZR | 3120,B | CM,C2,Vi | 102 | Wyffels | W2506 | VT2P | AC,P2 | 101 |
| FS InVISION | FS 53ZX1 RIB | STX,B | AC,P5V | 103 | Wyffels | W3078RIB | STX,B | AC,P5V | 106 |
| FS InVISION | FS 55TX1 RIB | STX,B | AC,P5V | 105 | Wyffels | W3488 | STX | AC,P5V | 104 |
| Golden Harvest | G03C84-3120-EZR | 3120,B | AVC,C2,Vi | 103 | Wyffels | W4196RIB | VT2P,B | AC,P5V | 105 |
| Golden Harvest | G05K08-3010A | 3010,A | AVC,C2,Vi | 105 | | | | | |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| Golden Harvest | G06Z97-3120-EZR | 3120,B | AVC,C2,Vi | 106 | | | | | |
| Hefty | H5302VT2PRIB | VT2P,B | HC | 103 | | | | | |
| Hefty | H5504SSRIB | STX,B | HC | 105 | | | | | |
| Hefty | H5522VT2P | VT2P | HC | 105 | | | | | |
| Hefty | H5524SS | STX | HC | 105 | | | | | |
| Jung | 53SS517RIB | STX,B | AC,P5V | 103 | | | | | |
| Jung | 54SS528 | STX,B | AC,P5V | 104 | | | | | |
| Jung | 56SS538 | STX,B | AC,P5V | 106 | | | | | |
| Kussmaul | SB-44V02DGRIB | VT2P,DG,B | AC,P2 | 102 | | | | | |
| Kussmaul | SB-45V03RIB | VT2P,B | AC,P2 | 103 | | | | | |
| Kussmaul | SS-44S05RIB | STX,B | AC,P5V | 105 | | | | | |
| Kussmaul | SS-46S03RIB | STX,B | AC,P5V | 103 | | | | | |
| Latham | LH5245VT2ProRIB | VT2P,B | AC,P2 | 102 | | | | | |
| Latham | LH5487VT2Pro | VT2P | AC,P5V | 104 | | | | | |
| Latham | LH5505VT2ProRIB | VT2P,B | AC,P2 | 105 | | | | | |
| Latham | LH5635VT2ProRIB | VT2P,B | AC,P2 | 106 | | | | | |
| LG Seeds | LG5499STXRIB | STX,B | AC,P5V | 102 | | | | | |
| LG Seeds | LG5525VT2RIB | VT2P,B | AC,P5V | 105 | | | | | |
| NK Brand | NK0330-3120-EZR | 3120,B | AVC,C2,Vi | 103 | | | | | |
| NK Brand | NK0624-3220-EZR GC | 3220,B | AVC,C2,Vi | 106 | | | | | |
| NuTech/G2 Gen | 5F-503 | AM,B | MQ,P5V,R | 103 | | | | | |
| NuTech/G2 Gen | 5F-504 | AM,B | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | 5F-601 | AM,AQ,B | MQ,P5V,R | 101 | | | | | |
| NuTech/G2 Gen | 5F-702 | AM,B | MQ,P5V,R | 102 | | | | | |
| Pfister | 60C2PC | PC | CM,C5,Vi,In | 100 | | | | | |

2018 Corn Grain - North Central Tri-State [NCTS]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|------------------|----------|-------------|-----|---------------|---------------|----------|-----------|-----|
| Burrus | Power Plus 4A67^ | AMXT,B | CM,C2,R,Lu | 109 | Renk | RK815SSTX | STX,B | AC,P2 | 110 |
| Burrus | Power Plus 4Y34^ | OI | MQ,P1V,R | 108 | REV | 1817AM | AM,B | MQ,P5V,R | 109 |
| Cornelius | C564SS | STX | AC,P5V | 108 | REV | 2067AM | AM,B | MQ,P1V,R | 110 |
| Cornelius | C573DP | VT2P | CM,C2 | 108 | Stone | 5858RIB | STX,B | AC,P5V | 108 |
| Cornelius | C577SS | STX | AC,P5V | 109 | Titan Pro | 82-09 2P | VT2P,B | AC,P2 | 109 |
| Cornelius | C633DP | VT2P | CM,C2 | 110 | Wyffels | W5518 | STX | AC,P5V | 109 |
| Dairyland | DS-6008 | RR2 | CM,C5,Vi,In | 108 | Wyffels | W6408 | STX | AC,P5V | 110 |
| Dairyland | DS-7909PE | PC,E | CM,C5,Vi,In | 109 | Wyffels | W6896RIB | VT2P,B | AC,P2 | 110 |
| Dairyland | DS-9508RA | STX,B | CM,C5,Vi,In | 108 | Wyffels | W6956 | VT2P | AC,P5V | 111 |
| Dairyland | DS-9510RA | STX,B | CM,C5,Vi,In | 110 | | | | | |
| Dyna-Gro | D49SS70 | STX | AC,P5V | 109 | | | | | |
| FS InVISION | FS 57ZX1 RIB | STX,B | AC,P5V | 107 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60LX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 60UX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| Golden Harvest | G08D29-3120A-EZR | 3120,A,B | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G08M20-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| Golden Harvest | G09A86-3000GT | 3000GT | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G10T63-3122-EZR | 3122,B | AVC,C5,Vi | 110 | | | | | |
| Hefty | H5812VT2PRIB | VT2P,B | HC | 108 | | | | | |
| Hefty | H5922VT2P | VT2P | HC | 109 | | | | | |
| Hefty | H6004SSRIB | STX,B | HC | 110 | | | | | |
| Hefty | H6024SS | STX,B | HC | 110 | | | | | |
| Jung | 58SS529 | STX,B | AC,P5V | 108 | | | | | |
| Jung | 58SS537RIB | STX,B | AC,P5V | 108 | | | | | |
| Jung | 61SS608 | STX,B | AC,P5V | 111 | | | | | |
| Kussmaul | SS-45S08RIB | STX,B | AC,P5V | 108 | | | | | |
| Latham | EX5917VT2Pro | VT2P | AC,P5V | 109 | | | | | |
| Latham | LH5725VT2Pro | VT2P | AC,P5V | 107 | | | | | |
| Latham | LH5819SSRIB | STX,B | AC,P5V | 108 | | | | | |
| Latham | LH5965VT2ProRIB | VT2P,B | AC,P2 | 109 | | | | | |
| LG Seeds | LG5548STXRIB | STX,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG58C77VT2PRO | VT2P | AC,P5V | 108 | | | | | |
| LG Seeds | LG59C66VT2PRO | VT2P | AC,P5V | 109 | | | | | |
| NuTech/G2 Gen | 5F-308 | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5FB-1010 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FB-9909 | AM,B | CM,C2,R,Lu | 109 | | | | | |
| NuTech/G2 Gen | 5FN-8808 | OI | MQ,P1V,R | 108 | | | | | |
| Pfister | 2545RASS | STX,B | CM,C5,Vi,In | 107 | | | | | |
| Pfister | 68A1PE | PC,E | CM,C5,Vi,In | 108 | | | | | |
| Pfister | 69E2SSR | STX,B | CM,C5,Vi,In | 109 | | | | | |
| Pfister | 69H1PE | PC,E | CM,C5,Vi,In | 109 | | | | | |
| Pioneer | P0707AMXT CK | AMXT,B | MQ,P1V,R | 107 | | | | | |
| Renk | RK763VT2P | VT2P,B | AC,P2 | 108 | | | | | |
| Renk | RK779SSTX | STX | AC,P5V | 108 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.