

Test by: F.I.R.S.T. NCB, Inc. Lanark, IL

## 2022 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI  
Curt Stibb, Columbia County, WI 53960

|                               |  |
|-------------------------------|--|
| <b>Early-Season Test</b>      | 99 - 104 Day CRM<br>B2022WISO04a                                     |
| <b>Top 30 of 45</b>           | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications |
| <b>PREV. CROP/HERB:</b>       | Soybeans / Sirius, Synchrony,<br>Roundup                             |
| <b>SOIL DESCRIPTION:</b>      | Troxel/Saybrook silt loam, well<br>drained, non-irrigated            |
| <b>SOIL CONDITION:</b>        | Strip-Till, very high P, very high<br>K, 6.5 pH, 4.2% OM, 14.8 CEC   |
| <b>PEST MANAGEMENT:</b>       | Basis Blend, Simazine, Alliance,<br>Roundup, Status, Force           |
| <b>FERTILITY - Applied N:</b> | 24 Fall, 120 Spring  |
| <b>Applied N-P-K (units):</b> | 144-62-100   |
| <b>SEEDED - RATE - ROW:</b>   | May 9 35.4 /A 30" spacing  |
| <b>HARVESTED - STAND:</b>     | Oct 27 33.5 /A   |

### TEST COMMENTS:

The plot had good emergence and really started off nice. It received good rainfall through the growing season, but was still short of the 10-year average for rain. Plants were still maintaining good stalk integrity. Ears were all filled out nicely and were girthy. Curt commented that, "At least the corn started drying down. It had dropped 5% in the last week". There was some Tar Spot sprinkled in the plot, but not on every hybrid.

| Company/Brand  | Product/Brand      | Technol.† | RM  | Yield<br>Bu/A ↓                       | Moisture<br>% | Lodging<br>% | Stand<br>(x 1000) | Gross Income<br>\$/Acre | Rank        |
|----------------|--------------------|-----------|-----|---------------------------------------|---------------|--------------|-------------------|-------------------------|-------------|
| Dairyland      | DS-4219AM ↗        | AM        | 102 | <b>259.7</b>                          | 20.5          | 1            | 33.9              | 1631                    | 1           |
| Channel        | 203-70TRERIB ↗     | TRE       | 103 | <b>253.7</b>                          | 21.0          | 1            | 36.2              | 1588                    | 2           |
| Dairyland      | DS-4014Q ↗         | QR        | 100 | 244.2                                 | 19.3          | 1            | 34.0              | 1545                    | 3           |
| FS InVision    | FS 5115X RIB ↗     | STX       | 101 | 243.4                                 | 19.5          | 1            | 34.8              | 1538                    | 4           |
| Dairyland      | DS-3959Q ↗         | QR        | 99  | 241.6                                 | 19.7          | 1            | 33.9              | 1525                    | 7           |
| Jung           | 54SP533 ↗          | STXP      | 104 | 241.2                                 | 19.0          | 1            | 35.7              | 1529                    | 5           |
| Augusta        | A3655 VT2P ↗       | VT2P      | 104 | 240.4                                 | 18.7          | 1            | 33.9              | 1527                    | 6           |
| Tracy          | T102-31 ↗          | D         | 102 | 240.3                                 | 20.5          | 1            | 32.2              | 1509                    | 10          |
| Augusta        | A2050 VT2P ↗       | VT2P      | 100 | 240.3                                 | 19.6          | 1            | 33.1              | 1517                    | 8           |
| Wyffels        | W3576 ↗            | VT2P      | 103 | 240.2                                 | 20.8          | 1            | 33.9              | 1505                    | 11          |
| Renk           | RK625DGVT2P ↗      | VT2PDG    | 104 | 239.0                                 | 19.5          | 2            | 33.9              | 1510                    | 9           |
| Dairyland      | DS-4018AM ↗        | AM        | 101 | 237.6                                 | 20.7          | 1            | 33.1              | 1490                    | 16          |
| Renk           | RK600VT2P ↗        | VT2P      | 100 | 237.4                                 | 19.9          | 4            | 33.9              | 1497                    | 13          |
| Burrus         | POWER PLUS 1K18Q ↗ | QR        | 100 | 237.4                                 | 19.3          | 1            | 35.7              | 1502                    | 12          |
| FS InVision    | FS 5098V RIB ↗     | VT2P      | 100 | 237.3                                 | 20.2          | 2            | 34.8              | 1493                    | 15          |
| Dairyland      | DS-3900AM ↗        | AM        | 99  | 237.2                                 | 20.0          | 2            | 33.1              | 1494                    | 14          |
| Cornelius      | C6400DGDP ↗        | VT2PDG    | 104 | 235.8                                 | 19.7          | 1            | 34.8              | 1488                    | 18          |
| Cornelius      | C6438DP ↗          | VT2P      | 104 | 235.5                                 | 19.4          | 1            | 33.9              | 1489                    | 17          |
| Golden Harvest | G02K39-AA ↗        | AA        | 102 | 234.4                                 | 19.4          | 2            | 34.8              | 1482                    | 19          |
| Mustang        | 62600 ↗            | VT2P      | 100 | 232.9                                 | 19.6          | 1            | 31.3              | 1471                    | 20          |
| Integra        | 5052 VT2PRIB ↗     | VT2P      | 100 | 232.5                                 | 19.7          | 1            | 32.2              | 1468                    | 21          |
| Jung           | 53DP523 ↗          | VT2P      | 103 | 231.9                                 | 19.9          | 1            | 33.1              | 1462                    | 24          |
| Wyffels        | W2236RIB ↗         | VT2P      | 99  | 231.9                                 | 19.3          | 1            | 33.9              | 1467                    | 22          |
| Wyffels        | W2656 ↗            | VT2P      | 101 | 231.8                                 | 19.6          | 1            | 33.1              | 1464                    | 23          |
| Channel        | 203-83STXRIB ↗     | STX       | 103 | 230.3                                 | 19.7          | 1            | 34.8              | 1453                    | 27          |
| Renk           | RK597SSPRO ↗       | STXP      | 99  | 229.7                                 | 18.6          | 1            | 33.9              | 1460                    | 25          |
| Integra        | 5443 DGVT2PRIB ↗   | VT2PDG    | 104 | 228.9                                 | 20.2          | 1            | 33.9              | 1441                    | 31          |
| FS InVision    | FS 4927T RIB ↗     | TRE       | 99  | 228.3                                 | 18.8          | 1            | 32.1              | 1449                    | 29          |
| Integra        | 5280 VT2PRIB ↗     | VT2P      | 102 | 228.2                                 | 18.7          | 1            | 33.9              | 1450                    | 28          |
| Renk           | RK579DGVT2P ↗      | VT2PDG    | 99  | 227.9                                 | 18.8          | 1            | 33.1              | 1446                    | 30          |
| PIONEER        | P0589Q CK          | QR        | 105 | 231.9                                 | 20.7          | 1            | 34.8              | 1454                    | 26          |
|                |                    |           |     | <b>Averages =</b>                     | <b>232.0</b>  | <b>19.7</b>  | <b>1</b>          | <b>33.5</b>             | <b>1466</b> |
|                |                    |           |     | LSD (0.10) =                          | 13.2          | 0.7          | ns                |                         |             |
|                |                    |           |     | LSD (0.25) =                          | 6.9           | 0.4          | ns                |                         |             |
|                |                    |           |     | C.V. =                                | 5.4           |              |                   |                         |             |
|                |                    |           |     | Historic yield: 195.45 bu/a, 22 yr(s) |               |              |                   |                         |             |

*Jason T. Beyers*

Jason Beyers

beyers@frontiernet.net, (815) 493-9005

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$6.50

Report Date: 10/27/2022

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2022, All rights reserved by Elite Field Genetics, LLC

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

Test by: F.I.R.S.T. NCB, Inc. Lanark, IL

## 2022 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI  
Curt Stibb, Columbia County, WI 53960

|                               |  |
|-------------------------------|--|
| <b>Full-Season Test</b>       | 105 - 109 Day CRM<br>B2022WISO04b                                    |
| <b>Top 30 of 45</b>           | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications |
| <b>PREV. CROP/HERB:</b>       | Soybeans / Sirius, Synchrony,<br>Roundup                             |
| <b>SOIL DESCRIPTION:</b>      | Troxel/Saybrook silt loam, well<br>drained, non-irrigated            |
| <b>SOIL CONDITION:</b>        | Strip-Till, very high P, very high<br>K, 6.5 pH, 4.2% OM, 14.8 CEC   |
| <b>PEST MANAGEMENT:</b>       | Basis Blend, Simazine, Alliance,<br>Roundup, Status, Force           |
| <b>FERTILITY - Applied N:</b> | 24 Fall, 120 Spring  |
| <b>Applied N-P-K (units):</b> | 144-62-100   |
| <b>SEDED - RATE - ROW:</b>    | May 9 35.4 /A 30" spacing  |
| <b>HARVESTED - STAND:</b>     | Oct 27 33.0 /A   |

### TEST COMMENTS:

The plot had good emergence and really started off nice. It received good rainfall through the growing season, but was still short of the 10-year average for rain. Plants were still maintaining good stalk integrity. Ears were all filled out nicely and were girthy. Curt commented that, "At least the corn started drying down. It had dropped 5% in the last week". There was some Tar Spot sprinkled in the plot, but not on every hybrid.

| Company/Brand                          | Product/Brand      | Technol.† | RM         | Yield Bu/A ↓                          | Moisture %   | Lodging %   | Stand (x 1000) | Gross Income \$/Acre | Rank        |  |
|--|--------------------|-----------|------------|---------------------------------------|--------------|-------------|----------------|----------------------|-------------|--|
| Pioneer                                | P0720Q GC ↗        | QR        | 107        | <b>262.6</b>                          | 22.1         | 1           | 33.1           | 1632                 | 1           |  |
| Burrus                                 | POWER PLUS 2J67Q ↗ | QR        | 105        | <b>249.5</b>                          | 20.8         | 1           | 32.2           | 1564                 | 2           |  |
| Integra                                | 5802 VT2PRIB ↗     | VT2P      | 108        | <b>248.9</b>                          | 22.4         | 1           | 33.1           | 1545                 | 3           |  |
| FS InVision                            | FS 5815V RIB ↗     | VT2P      | 108        | <b>248.3</b>                          | 22.8         | 1           | 33.1           | 1536                 | 5           |  |
| Dairyland                              | DS-4510Q ↗         | QR        | 105        | <b>245.3</b>                          | 20.6         | 1           | 32.2           | 1539                 | 4           |  |
| Jung                                   | 57DP553 ↗          | VT2P      | 107        | <b>245.3</b>                          | 21.3         | 1           | 33.9           | 1532                 | 6           |  |
| Renk                                   | RK700SSTX ↗        | STX       | 108        | <b>244.9</b>                          | 22.5         | 1           | 32.2           | 1518                 | 8           |  |
| Burrus                                 | POWER PLUS 3W97Q ↗ | QR        | 107        | <b>244.3</b>                          | 22.3         | 1           | 33.9           | 1516                 | 9           |  |
| Augusta                                | A1956 ↗            | PC,E      | 106        | <b>242.4</b>                          | 20.1         | 1           | 33.1           | 1526                 | 7           |  |
| Dairyland                              | DS-4917AM ↗        | AM        | 109        | <b>240.9</b>                          | 22.3         | 1           | 33.0           | 1495                 | 11          |  |
| Wyffels                                | W5778RIB ↗         | STX       | 109        | <b>240.6</b>                          | 21.8         | 1           | 34.8           | 1499                 | 10          |  |
| Tracy                                  | T106-32 ↗          | PC,E      | 106        | 239.0                                 | 21.5         | 4           | 33.9           | 1492                 | 12          |  |
| Wyffels                                | W4246RIB ↗         | VT2P      | 105        | 236.0                                 | 22.2         | 1           | 32.2           | 1466                 | 15          |  |
| Renk                                   | RK774VT2P ↗        | VT2P      | 108        | 235.6                                 | 20.9         | 1           | 32.2           | 1476                 | 13          |  |
| Dairyland                              | DS-4567Q ↗         | QR        | 105        | 234.9                                 | 21.0         | 1           | 32.2           | 1470                 | 14          |  |
| FS InVision                            | FS 5829V RIB ↗     | VT2P      | 108        | 234.7                                 | 22.6         | 1           | 33.9           | 1454                 | 17          |  |
| Dairyland                              | DS-4878AM ↗        | AM        | 108        | 233.4                                 | 21.7         | 1           | 31.3           | 1455                 | 16          |  |
| Mustang                                | 78505 ↗            | STX       | 105        | 231.7                                 | 21.3         | 1           | 31.3           | 1447                 | 18          |  |
| Legacy                                 | LC564-20 ↗         | PC,E      | 106        | 231.5                                 | 21.9         | 1           | 32.2           | 1441                 | 20          |  |
| Cornelius                              | C6847TRE ↗         | TRE       | 108        | 230.4                                 | 22.5         | 1           | 32.2           | 1428                 | 21          |  |
| Wyffels                                | W4198RIB ↗         | STX       | 106        | 230.1                                 | 20.8         | 1           | 33.9           | 1443                 | 19          |  |
| Renk                                   | RK720TRE ↗         | TRE       | 106        | 228.8                                 | 21.7         | 1           | 33.9           | 1426                 | 23          |  |
| Dyna-Gro                               | D48SS50RIB ↗       | STX       | 108        | 227.3                                 | 22.8         | 1           | 30.4           | 1407                 | 25          |  |
| Wyffels                                | W5086RIB ↗         | VT2P      | 107        | 227.0                                 | 21.8         | 1           | 33.1           | 1414                 | 24          |  |
| Legacy                                 | LC554-21 ↗         | VT2PDG    | 105        | 224.3                                 | 21.0         | 1           | 33.9           | 1404                 | 27          |  |
| Wyffels                                | W4025 ↗            | TRE       | 105        | 224.0                                 | 20.7         | 2           | 32.2           | 1405                 | 26          |  |
| Burrus                                 | POWER PLUS 4C16Q ↗ | QR        | 108        | 223.8                                 | 20.8         | 1           | 33.9           | 1403                 | 28          |  |
| Jung                                   | 56SP543 ↗          | STXP      | 106        | 223.3                                 | 21.1         | 1           | 33.9           | 1397                 | 29          |  |
| Mustang                                | 78706 ↗            | STX       | 106        | 222.4                                 | 20.7         | 2           | 29.5           | 1395                 | 30          |  |
| Integra                                | 5533 STXRIB ↗      | STX       | 105        | 221.9                                 | 20.4         | 4           | 33.9           | 1394                 | 31          |  |
| <b>PIONEER</b>                         | <b>P0589Q CK</b>   | <b>QR</b> | <b>105</b> | <b>228.9</b>                          | <b>21.6</b>  | <b>1</b>    | <b>33.1</b>    | <b>1428</b>          | <b>22</b>   |  |
|  |                    |           |            | <b>Averages =</b>                     | <b>228.4</b> | <b>21.6</b> | <b>1</b>       | <b>33.0</b>          | <b>1425</b> |  |
|  |                    |           |            | LSD (0.10) =                          | 11.8         | 0.8         | ns             |                      |             |  |
|  |                    |           |            | LSD (0.25) =                          | 6.2          | 0.4         | ns             |                      |             |  |
|  |                    |           |            | C.V. =                                | 4.9          |             |                |                      |             |  |
| Jason Beyers                           |                    |           |            | Historic yield: 195.45 bu/a, 22 yr(s) |              |             |                |                      |             |  |
| beyers@frontiernet.net, (815) 493-9005 |                    |           |            |                                       |              |             |                |                      |             |  |

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$6.50

Report Date: 10/27/2022

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2022, All rights reserved by Elite Field Genetics, LLC


Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

# 2022 Corn - Wisconsin South [ WISO ]

## Weather Conditions Summary at ARLINGTON, WI

Weather Data Retrieved: 10/27/2022

| Monthly Total               | Apr*             | May              | Jun              | Jul              | Aug              | Sep              | Oct*             | Total              |
|-----------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in)   Normal (Diff) | 0.2   0.8 (-0.6) | 3.2   4.7 (-1.5) | 5.6   5.0 (+0.6) | 3.0   4.0 (-1.0) | 4.2   4.3 (-0.1) | 4.5   3.9 (+0.6) | 1.3   3.3 (-2.0) | 22.1   26.0 (-3.9) |
| GDU   Normal (Diff)         | 14   0 (+14)     | 350   316 (+33)  | 510   548 (-38)  | 644   670 (-26)  | 590   601 (-11)  | 377   400 (-23)  | 142   94 (+47)   | 2627   2631 (-4)   |



\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

## 2022 Corn - Wisconsin South [ WISO ]

### Early-Season Test Products (45 Total)

| Company/Brand  | Product/Brand    | Technology | RIB | RM  | Seed Treat.   |
|----------------|------------------|------------|-----|-----|---------------|
| Augusta        | A2050 VT2P       | VT2P       | N   | 100 | AC250         |
| Augusta        | A22-250          | AA         | Y   | 100 | CM,C2,Vi      |
| Augusta        | A3052-5222-EZ    | DV         | Y   | 102 | CM,C2,Vi      |
| Augusta        | A3655 VT2P       | VT2P       | N   | 104 | AC250         |
| Burrus         | POWER PLUS 1K18Q | QR         | Y   | 100 | BPS           |
| Channel        | 200-42VT2PRIB    | VT2P       | Y   | 100 | AC,P5V,EDC-B  |
| Channel        | 203-70TRERIB     | TRE        | Y   | 103 | AC,P5V,EDC-B  |
| Channel        | 203-83STXRIB     | STX        | Y   | 103 | AC,P5V,EDC-B  |
| Cornelius      | C6400DGDP        | VT2PDG     | N   | 104 | CM,C2,Vi      |
| Cornelius      | C6438DP          | VT2P       | N   | 104 | CM,C2,Vi      |
| Dairyland      | DS-3900AM        | AM         | Y   | 99  | Lum, L1       |
| Dairyland      | DS-3959Q         | QR         | Y   | 99  | Lum, L1       |
| Dairyland      | DS-4014Q         | QR         | Y   | 100 | Lum, L1       |
| Dairyland      | DS-4018AM        | AM         | Y   | 101 | Lum, L1       |
| Dairyland      | DS-4219AM        | AM         | Y   | 102 | Lum, L1       |
| Dyna-Gro       | D42SS20RIB       | STX        | Y*  | 102 | AC,P5V        |
| FS InVision    | FS 4927T RIB     | TRE        | Y   | 99  | AC,P5V,EDC-EL |
| FS InVision    | FS 5098V RIB     | VT2P       | Y   | 100 | AC,P5V        |
| FS InVision    | FS 5115X RIB     | STX        | Y   | 101 | AC,P5V        |
| FS InVision    | FS 5125L1A EZR   | AA         | Y   | 101 | CM,C2,Vi      |
| Golden Harvest | G00A97-AA        | AA         | Y   | 100 | AVC,C2,Vi,Va  |
| Golden Harvest | G02K39-AA        | AA         | Y   | 102 | AVC,C2,Vi,Va  |
| Integra        | 5052 VT2PRIB     | VT2P       | Y   | 100 | AC,P5V,SU+Zn  |
| Integra        | 5280 VT2PRIB     | VT2P       | Y   | 102 | AC,P5V,SU+Zn  |
| Integra        | 5443 DGVT2PRIB   | VT2PDG     | N   | 104 | AC,P5V        |
| Jung           | 53DP523          | VT2P       | Y   | 103 | AC,P5,B360    |
| Jung           | 53SS521          | STX        | Y   | 103 | AC,P5,B360    |
| Jung           | 54SP533          | STXP       | Y   | 104 | AC,P5V,B360   |
| Mustang        | 52500            | VT2P       | N   | 100 | Treated       |
| Mustang        | 62600            | VT2P       | N   | 100 | Treated       |
| NK Brand       | NK0007-AA        | AA         | Y   | 100 | AVC,C2,Vi,Va  |
| NK Brand       | NK9922-DV        | DV         | Y   | 99  | AVC,C2,Vi,Va  |
| Pioneer        | P0589Q CK        | QR         | Y   | 105 | Lum, L1       |
| Renk           | RK579DGVT2P      | VT2PDG     | Y   | 99  | AC,P2         |
| Renk           | RK597SSPRO       | STXP       | N   | 99  | AC,P5V        |
| Renk           | RK600VT2P        | VT2P       | N   | 100 | AC,P2         |
| Renk           | RK615SSTX        | STX        | Y   | 102 | AC,P5V        |
| Renk           | RK625DGVT2P      | VT2PDG     | N   | 104 | AC,P2         |
| Tracy          | T099-31          | D          | Y   | 99  | CM,C2,Sb      |
| Tracy          | T100-33          | AT         | Y   | 100 | CM,C2,Vi      |
| Tracy          | T102-31          | D          | Y   | 102 | CM,C2,Vi      |
| Wyffels        | W1758            | STX        | N   | 97  | AC,P2         |

| Company/Brand | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Wyffels       | W2236RIB      | VT2P       | Y   | 99  | AC,P2       |
| Wyffels       | W2656         | VT2P       | N   | 101 | AC,P2       |
| Wyffels       | W3576         | VT2P       | N   | 103 | AC,P2       |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2022 Corn - Wisconsin South [ WISO ]

### Full-Season Test Products (45 Total)

| Company/Brand  | Product/Brand    | Technology | RIB | RM  | Seed Treat.        |
|----------------|------------------|------------|-----|-----|--------------------|
| Augusta        | A1956            | PC,E       | N   | 106 | AC,P5V             |
| Burrus         | POWER PLUS 2J67Q | QR         | Y   | 105 | Lum, L1            |
| Burrus         | POWER PLUS 3W97Q | QR         | Y   | 107 | BPS                |
| Burrus         | POWER PLUS 4C16Q | QR         | Y   | 108 | BPS                |
| Cornelius      | C6724SS          | STX        | N   | 107 | AC,P5              |
| Cornelius      | C6847TRE         | TRE        | N   | 108 | AC,P5              |
| Dairyland      | DS-4510Q         | QR         | Y   | 105 | Lum, L1            |
| Dairyland      | DS-4567Q         | QR         | Y   | 105 | Lum, L1            |
| Dairyland      | DS-4878AM        | AM         | Y   | 108 | Lum, L1            |
| Dairyland      | DS-4917AM        | AM         | Y   | 109 | Lum, L1            |
| Dyna-Gro       | D48SS50RIB       | STX        | Y   | 108 | AC,P5V             |
| FS InVision    | FS 5525VDG RIB   | VT2P       | Y   | 105 | AC,P2              |
| FS InVision    | FS 5725X RIB     | STX        | Y   | 107 | AC,P5V             |
| FS InVision    | FS 5815V RIB     | VT2P       | Y   | 108 | AC,P5V             |
| FS InVision    | FS 5829V RIB     | VT2P       | Y   | 108 | AC,P5V,Va          |
| Golden Harvest | G07G73-D         | D          | Y   | 107 | AVC,C2,Vi,Va       |
| Golden Harvest | G08R52-V         | V          | Y   | 108 | AVC,C2,CM,C5,Vi,Va |
| Integra        | 5529 VT2PRIB     | VT2P       | Y   | 105 | AC,P5V,SU+Zn       |
| Integra        | 5533 STXRIB      | STX        | N   | 105 | AC,P5V,St,SU       |
| Integra        | 5719 VT2PRIB     | VT2P       | Y   | 107 | AC,P5V,SU+Zn       |
| Integra        | 5802 VT2PRIB     | VT2P       | Y   | 108 | AC,P5V,SU+Zn       |
| Jung           | 56SP543          | STXP       | Y   | 106 | AC,P5V,B360        |
| Jung           | 57DP553          | VT2P       | Y   | 107 | AC,P5,B360         |
| Jung           | 59SP573          | STXP       | Y   | 109 | AC,P5V,B360        |
| Legacy         | LC554-21         | VT2PDG     | N   | 105 | AC,P5V             |
| Legacy         | LC564-20         | PC,E       | N   | 106 | CM,C2,Vi           |
| Mustang        | 78505            | STX        | N   | 105 | AC,P5V             |
| Mustang        | 78706            | STX        | N   | 106 | AC,P5              |
| NK Brand       | NK0696-D         | D          | Y   | 106 | AVC,C2,Vi,Va       |
| NK Brand       | NK0748-D         | D          | Y   | 107 | AVC,C2,Vi,Va       |
| Pioneer        | P0589Q CK        | QR         | Y   | 105 | Lum, L1            |
| Pioneer        | P0720Q GC        | QR         | Y   | 107 | Lum, L1            |
| Renk           | RK700SSTX        | STX        | N   | 108 | AC,P5V             |
| Renk           | RK710DGV2P       | VT2PDG     | Y   | 107 | AC,P2              |
| Renk           | RK715SSTX        | STX        | Y   | 105 | AC,P5V             |
| Renk           | RK720TRE         | TRE        | N   | 106 | AC,P5V             |
| Renk           | RK774VT2P        | VT2P       | N   | 108 | AC,P2              |
| Tracy          | T105-32          | D          | Y   | 105 | CM,C2,Vi           |
| Tracy          | T106-32          | PC,E       | Y   | 106 | CM,C2              |
| Tracy          | T107-33          | DV         | Y   | 107 | CM,C2,Vi           |
| Wyffels        | W4025            | TRE        | N   | 105 | AC,P2              |
| Wyffels        | W4198RIB         | STX        | Y   | 106 | AC,P2              |

| Company/Brand | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Wyffels       | W4246RIB      | VT2P       | Y   | 105 | AC,P2       |
| Wyffels       | W5086RIB      | VT2P       | Y   | 107 | AC,P2       |
| Wyffels       | W5778RIB      | STX        | Y   | 109 | AC,P2       |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

---

|    |  |
|----|--|
| ^  | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Power Plus® brand seed is distributed by Burrus. Innotech™ is a trademark of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests.   |
| GC | Grower Comparison product included by FIRST when space permits.  |

### Corn Technologies

---

|        |   |
|--------|---|
| AA     | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120                      |
| AM     | Optimum® AcreMax®   |
| AT     | Agrisure® Total (CB,HXX,RW,LL,GT), formerly Agrisure® 3122                  |
| D      | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122            |
| DV     | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| E      | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance)                        |
| PC     | PowerCore™  |
| QR     | Qrome™  |
| STX    | SmartStax®  |
| STXP   | SmartStax® Pro  |
| TRE    | Trecepta®   |
| V      | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220                 |
| VT2P   | VT Double PRO®  |
| VT2PDG | VT Double PRO® DroughtGard®   |

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments\*

---

|                    |  |
|--------------------|--|
| NA                 | Not Available  |
| AC250              | Acceleron® 250   |
| AC,P2              | Acceleron® 250   |
| AC,P5              | Acceleron® 500   |
| AC,P5,B360         | Acceleron® 500 with BioRise™ B-360 ST                            |
| AC,P5V             | Acceleron® Poncho 500/Votivo                                     |
| AC,P5V,B360        | Acceleron® Poncho 500/Votivo with B-360 SAT                      |
| AC,P5V,EDC-B       | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL      | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,St,SU       | Acceleron® Poncho 500/Votivo, Stamina, StepUp                    |
| AC,P5V,SU+Zn       | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn               |
| AC,P5V,Va          | Acceleron® Poncho 500/Votivo, Vayantis®                          |
| AVC,C2,CM,C5,Vi,Va | Avicta® Complete 250, CruiserMaxx 500, Vibrance®, Vayantis®      |
| AVC,C2,Vi,Va       | Avicta® Complete 250, Vibrance®, Vayantis®                       |
| BPS                | Burrus PowerShield   |
| CM,C2              | CruiserMaxx® 250   |
| CM,C2,Sb           | CruiserMaxx® 250, SabrEx Innoculant                              |
| CM,C2,Vi           | CruiserMaxx® 250 with Vibrance                                   |
| Lum, L1            | (2022) LumiGEN, Lumisure 1250                                    |
| Treated            | Treated seed, unspecified  |

---

\* Seed treatments may include unspecified plant health promoting components.